


### NTR06-1705D



#### Features

- 6.5" neodymium magnet woofer providing 150Wrms (AES standard) power handling and 90dB sensitivity
- 1.75" high temperature copper clad aluminium voice coil
- Optimized flux distribution in magnet assembly provides low harmonic distortion
- Half-roll elastomer surround provides greater excursion and improved modal distribution
- Intelligent heat management in both chassis and magnet assembly design offers reduced thermal compression
- Copper sleeved pole reduces inductive rise for improved HF performance
- Space efficient chassis profile

#### 8 Frequency Response



1. Tested for two hours using a continuous, band-limited pink noise signal as per AES standard. Power calculated on minimum impedance. Loudspeaker tested in free air.
2. Measured on axis at 1W, 1m in 2 anechoic environment.
3. Xmax derived from: (voice coil winding width-gap depth)/2.
4. Small signal parameters measured after unit subjected to pre-conditioning signal.

#### General Specifications

Nominal diameter	165mm/6.5in
Power rating <sup>1</sup>	150Wrms
Nominal impedance	8
Sensitivity <sup>2</sup>	90dB
Frequency range	70-7000Hz
Voice coil diameter	45mm/1.75in
Chassis type	Cast aluminium
Magnet type	Neodymium
Coil material	Copper clad aluminium
Former material	Polyimide
Cone material	Kevlar loaded paper
Surround material	Elastomer
Suspension	Single
Xmax <sup>3</sup>	4.5mm/0.18in
Gap depth	6mm/0.24in
Voice coil winding width	15mm/0.63in

#### Small Signal Parameters <sup>4</sup>

D	0.13m/5.12in
Fs	59.8Hz
Mms	17.52g/0.618oz
Qms	8.240
Qes	0.446
Mmd	16.66g/0.588oz
Qts	0.423
Re	5.22 $\Omega$
Vas	10.07lt/0.38ft <sup>3</sup>
Bl	8.79Tm
Cms	0.404mm/N
Rms	0.799kg/s
Le (at 1kHz)	0.17mH

#### Mounting Information

Overall diameter	Max 189mm /7.44in - Min 162mm/6.38in
Overall depth	87mm/3.43in
Cut-out diameter	150mm/5.9in
Mounting slot dimensions	6.5mm x 5.5mm/0.26in x 0.22in
Number of mounting slots	4
Mounting slot PCD range	173.5mm/6.83in
Unit weight	0.95kg/2.09lb

#### Packed Dimensions & Weight

Single pack size W x D x H	190mm x 190mm x 110mm /7.5in x 7.5in x 4.3in
Single pack weight	1.1kg/2.4lb
Multi pack size W x D x H	1070mmx850mmx860mm /42.1in x 33.5in x 33.9in
Multi pack weight	150kg/330lb