
# CELESTION

# **Legacy Loudspeakers** TF1230 (LEGACY)



#### Frequency Response and Impedance Curves



**Power rating:** Tested for two hours using a continuous, band-limited pink noise signal as per AES standard. Power calculated on minimum impedance. Loudspeaker tested in free air.

Continuous power rating: Defined as 3dB greater than the AES

rating.

Sensitivity: Measured on axis at 1W, 1m in 2 pi anechoic

environment.

Parameters: Measured after unit subjected to pre-conditioning

signal. Xmax: Hvc-Hg/2

# 12-inch pressed steel chassis, ferrite magnet bass/mid driver

Airflow vented magnet assembly for dynamic heat dispersion

700W **94dB** 3in Round copper Continuous sensitivity power rating voice coil

#### **General Specifications**

Nominal Diameter 305mm / 12in 350W Power Rating Continuous power rating 700W 500W EIA power rating Rated impedance 8 ohm Sensitivity 94dB Frequency range 45-3000Hz Chassis type Pressed steel Magnet type Ferrite Magnet weight 1.4kg / 48oz Voice coil diameter 75mm / 3in Voice coil material Round copper Former material Polyimide Cone material Kevlar loaded paper Surround material Cloth-sealed Suspension Single Gap height (Hg) 8mm / 0.24in VC winding height (Hvc) 17.5mm / 0.69in

#### **Mounting Information**

Overall diameter 309mm / 12.17in Overall depth 140mm / 5.5in Cut-out diameter 283mm / 11.14in Mounting hole dimensions 7.9mm / 0.31in Number of mounting holes Mounting hole PCD 297mm / 11.69in Unit weight 4.3kg / 9.46lb

## **Parameters**

Sd 530.93cm2 / 82.29in2 Fs 59.00Hz Mms 56.86g / 2.01oz Qms 2.449 Qes 0.652 0.515 Ots Re 5.19 ohm Vas 51.12I / 1.81ft<sup>3</sup> 12.96Tm ΒΙ 0.13mm/N Cms 8.60kg/s Rms Le (at 1kHz) 1.31mH 5mm / 0.19in **Xmax** 

### **Packed Dimensions & Weight**

330mm x 330mm x 150mm / x Single pack size W x D x H

13in 13in x 5.9in Single pack weight 5.0kg / 11.0lb

Multi pack qty Multi pack size W x D x H 1080mm x 980mm x 880mm / 42.5in x 38.6in x 34.6in

Multi pack weight 285kg / 620lb